

# 2015 PRICE LISTS

JOINTS  
COUPLINGS

- Our state-of-the-art manufacturing processes and technology produce a strong, water tight, flexible joint that will repair, adapt, reduce or cap almost any type of pipe used for sewer, drain, waste and vent applications.
- Calder Repair Coupling (CRC) with 304 series stainless steel clamps and 300 series stainless steel shear band are engineered to resist heavy earth loads with improved alignment and shear forces while being corrosion resistant.
- Constructed for alteration, rehabilitation or repair of large diameter pipe from 8" to 96" with flanged bushings adapt to differences in pipe O.D.'s of up to 6". Custom couplings are available in 6.5" and 11" wide.
- Joints transition couplings made with flanged reducing bushings are indicated by "\*" in the price sheet.
- **Noted (d) prices indicate a different discount level (please contact us for more details)**

*For ordering custom large diameter couplings:* Please specify the outside diameter of the two pipes being connected. Differences in the pipe O.D. can be no larger than 6". Custom couplings and bushings are made to order based on the sizes stated in the purchase order and are non-returnable. Custom couplings are also available in the calder repair coupling series (CRC) with an outside shear band. Please state whether the 6.5" or 11" wide coupling is desired. Please call Joints for lead time and pricing.



*Manufactured  
in the USA*

## ■ Couplings, Bushings and Stainless Steel Bands meet and exceed:

- UPC
- ASTM 425, 564, 1173, 923, 240
- Greenbook Standard Specs for Public Work Construction

## ■ Small Business Enterprise (SBE)

## ■ Minority Business Enterprise (MBE)

## ■ Ships in 24-48 Hours



**JOINTS**  
COUPLINGS  
[www.JointsCouplings.com](http://www.JointsCouplings.com)

10699 Hickson St #20  
El Monte, CA 91731 USA

Office: 626-448-2100 | Fax: 626-448-2140  
Toll Free: 1-877-244-3410

# JTS01 SERIES - CLAY TO CLAY

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels



PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS01-44	4" Clay to 4" Clay	18.79	18
JTS01-44 CRC	4" Clay to 4" Clay	<i>d</i> 28.09	12
JTS01-54*	5" Clay to 4" Clay	<i>d</i> 35.14	9
JTS01-54 CRC*	5" Clay to 4" Clay	<i>d</i> 59.76	9
JTS01-55	5" Clay to 5" Clay	40.38	9
JTS01-55 CRC	5" Clay to 5" Clay	<i>d</i> 62.09	9
JTS01-64	6" Clay to 4" Clay	43.69	12
JTS01-64 CRC*	6" Clay to 4" Clay	<i>d</i> 62.29	8
JTS01-64 TYPE O*	6" Clay to 4" Clay	43.69	12
JTS01-65	6" Clay to 5" Clay	49.57	6
JTS01-66	6" Clay to 6" Clay	40.19	10
JTS01-66CRC	6" Clay to 6" Clay	<i>d</i> 53.40	10
JTS01-86*	8" Clay to 6" Clay	<i>d</i> 69.12	8
JTS01-86 CRC*	8" Clay to 6" Clay	<i>d</i> 65.63	8
JTS01-88	8" Clay to 8" Clay	61.81	8
JTS01-88 CRC	8" Clay to 8" Clay	<i>d</i> 79.44	8
JTS01-1008*	10" Clay to 8" Clay	<i>d</i> 97.24	6
JTS01-1008 CRC*	10" Clay to 8" Clay	<i>d</i> 89.36	8
JTS01-1010	10" Clay to 10" Clay	85.94	8
JTS01-1010 CRC	10" Clay to 10" Clay	<i>d</i> 104.39	8
JTS01-1210*	12" Clay to 10" Clay	<i>d</i> 114.77	2
JTS01-1210 CRC	12" Clay to 10" Clay	<i>d</i> 162.68	2
JTS01-1212	12" Clay to 12" Clay	100.30	8
JTS01-1212 CRC	12" Clay to 12" Clay	<i>d</i> 126.50	8
JTS01-1512*	15" Clay to 12" Clay	<i>d</i> 233.70	2
JTS01-1512 CRC*	15" Clay to 12" Clay	<i>d</i> 360.36	2
JTS01-1515	15" Clay to 15" Clay	<i>d</i> 173.73	2
JTS01-1515 CRC	15" Clay to 15" Clay	<i>d</i> 252.34	2
JTS01-1818	18" Clay to 18" Clay	<i>d</i> 388.28	1
JTS01-1818 CRC	18" Clay to 18" Clay	<i>d</i> 488.89	1
JTS01-2121	21" Clay to 21" Clay	<i>d</i> 488.54	1
JTS01-2121 CRC	21" Clay to 21" Clay	<i>d</i> 597.85	1
JTS01-2424	24" Clay to 24" Clay	<i>d</i> 569.81	1
JTS01-2424 CRC	24" Clay to 24" Clay	<i>d</i> 693.54	1
JTS01-2727	27" Clay to 27" Clay	<i>d</i> 641.80	1
JTS01-2727 CRC	27" Clay to 27" Clay	<i>d</i> 758.39	1



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

**Larger diameter couplings available upon request.**

Nut and bolt or worm gear tightening devices available.

[Flexible Couplings](#) • [Specialty Shielded Transition Couplings](#) • [Calder Couplings](#) • [Bushings](#) • [TAP-N-TEE Saddles](#) • [Sewer and Drain Pipe Products](#) • [Custom Molded and Extrusion](#) • [Test Caps](#)

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.



10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: [info@jointscouplings.com](mailto:info@jointscouplings.com)

**JTS02 SERIES - CLAY TO CAST IRON/PLASTIC**

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels


**(877) 244-3410**

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS02-43	4" Clay to 3" CI/PL	19.21	12
JTS02-43 CRC	4" Clay to 3" CI/PL	<i>d</i> 44.66	12
JTS02-44	4" Clay to 4" CI/PL	17.40	18
JTS02-44 CRC	4" Clay to 4" CI/PL	<i>d</i> 41.18	12
JTS02-46	4" Clay to 6" CI/PL	<i>d</i> 44.69	10
JTS02-46 CRC*	4" Clay to 6" CI/PL	<i>d</i> 66.31	9
JTS02-55	5" Clay to 5" CI/PL	29.45	18
JTS02-55 CRC	5" Clay to 5" CI/PL	<i>d</i> 134.45	9
JTS02-64	6" Clay to 4" CI/PL	43.69	10
JTS02-64 CRC	6" Clay to 4" CI/PL	<i>d</i> 102.50	8
JTS02-66	6" Clay to 6" CI/PL	37.21	12
JTS02-66 CRC	6" Clay to 6" CI/PL	<i>d</i> 69.84	8
JTS02-86	8" Clay to 6" CI/PL	69.12	8
JTS02-86 CRC*	8" Clay to 6" CI/PL	<i>d</i> 70.54	6
JTS02-88	8" Clay to 8" CI/PL	57.24	8
JTS02-88 CRC	8" Clay to 8" CI/PL	<i>d</i> 79.44	6
JTS02-1008*	10" Clay to 8" CI/PL	<i>d</i> 97.24	6
JTS02-1008 CRC*	10" Clay to 8" CI/PL	<i>d</i> 104.80	1
JTS02-1010	10" Clay to 10" CI/PL	85.94	6
JTS02-1010 CRC	10" Clay to 10" CI/PL	<i>d</i> 103.34	1

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS021210*	12" Clay to 10" CI/PL	<i>d</i> 126.19	2
JTS02-1210 CRC*	12" Clay to 10" CI/PL	<i>d</i> 184.88	1
JTS02-1212	12" Clay to 12" CI/PL	95.19	6
JTS02-1212 CRC*	12" Clay to 12" CI/PL	<i>d</i> 126.50	1
JTS02-1512*	15" Clay to 12" CI/PL	<i>d</i> 233.75	2
JTS02-1512 CRC*	15" Clay to 12" CI/PL	<i>d</i> 376.59	1
JTS02-1515*	15" Clay to 15" CI/PL	<i>d</i> 129.02	4
JTS02-1515 CRC*	15" Clay to 15" CI/PL	<i>d</i> 238.84	1
JTS02-1818*	18" Clay to 18" CI/PL	<i>d</i> 454.91	1
JTS02-1818 CRC*	18" Clay to 18" CI/PL	<i>d</i> 591.94	1
JTS02-2121*	21" Clay to 18" CI/PL	<i>d</i> 488.78	1
JTS02-2121 CRC*	21" Clay to 21" CI/PL	<i>d</i> 679.35	1
JTS02-2424*	24" Clay to 24" CI/PL	<i>d</i> 575.59	1
JTS02-2424 CRC*	24" Clay to 24" CI/PL	<i>d</i> 755.93	1
JTS02-2727*	27" Clay to 27" CI/PL	<i>d</i> 651.37	1
JTS02-2727CRC*	27" Clay to 27" CI/PL	<i>d</i> 807.46	1

**Larger diameter couplings available upon request.**

Nut and bolt or worm gear tightening devices available.



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

LEGEND: CI = Cast Iron, PL = Plastic

Flexible Couplings • Specialty Shielded Transition Couplings •  
 Calder Couplings • Bushings • TAP-N-TEE Saddles • Sewer and  
 Drain Pipe Products • Custom Molded and Extrusion • Test Caps

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

Made in USA 

10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: **info@jointscouplings.com**

## JTS03 SERIES - CLAY TO ASBESTOS CEMENT/ DUCTILE IRON

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS03-44	4" Clay to 4" AC/DI	18.79	18
JTS03-44 CRC*	4" Clay to 4" AC/DI	<i>d</i> 41.18	18
JTS03-54*	5" Clay to 4" AC/DI	<i>d</i> 35.14	18
JTS03-54 CRC*	5" Clay to 4" AC/DI	<i>d</i> 61.38	9
JTS03-55*	5" Clay to 5" AC/DI	<i>d</i> 31.57	9
JTS03-55 CRC*	5" Clay to 5" AC/DI	<i>d</i> 46.62	9
JTS03-64*	6" Clay to 4" AC/DI	<i>d</i> 43.69	12
JTS03-65*	6" Clay to 5" AC/DI	<i>d</i> 49.57	6
JTS03-66	6" Clay to 6" AC/DI	38.19	10
JTS03-66 CRC	6" Clay to 6" AC/DI	<i>d</i> 62.78	8
JTS03-85*	8" Clay to 5" AC/DI	<i>d</i> 86.72	10
JTS03-86*	8" Clay to 6" AC/DI	<i>d</i> 75.96	6
JTS03-86 CRC*	8" Clay to 6" AC/DI	<i>d</i> 184.00	6
JTS03-88*	8" Clay to 8" AC/DI	<i>d</i> 61.81	4
JTS03-88 CRC*	8" Clay to 8" AC/DI	<i>d</i> 108.97	6
JTS03-1008*	10" Clay to 8" AC/DI	<i>d</i> 100.89	4
JTS03-1008 CRC*	10" Clay to 8" AC/DI	<i>d</i> 133.71	4
JTS03-1010*	10" Clay to 10" AC/DI	<i>d</i> 88.04	4
JTS03-1010 CRC*	10" Clay to 10" AC/DI	<i>d</i> 133.71	4
JTS03-1210*	12" Clay to 10" AC/DI	<i>d</i> 119.11	4
JTS03-1210 CRC*	12" Clay to 10" AC/DI	<i>d</i> 188.09	4
JTS03-1212*	12" Clay to 12" AC/DI	<i>d</i> 105.28	4
JTS03-1212 CRC*	12" Clay to 12" AC/DI	<i>d</i> 185.22	4
JTS03-1512*	15" Clay to 12" AC/DI	<i>d</i> 220.53	1
JTS03-1516*	15" Clay to 16" AC/DI	<i>d</i> 193.67	2
JTS03-1516 CRC*	15" Clay to 16" AC/DI	<i>d</i> 267.48	2
JTS03-1818*	18" Clay to 18" AC/DI	<i>d</i> 482.92	1
JTS03-1818 CRC*	18" Clay to 18" AC/DI	<i>d</i> 663.66	1

### Larger diameter couplings available upon request.

LEGEND: AC = Asbestos Cement, DI = Ductile Iron

Nut and bolt or worm gear tightening devices available.

Flexible Couplings • Specialty Shielded Transition Couplings •  
Calder Couplings • Bushings • TAP-N-TEE Saddles • Sewer and  
Drain Pipe Products • Custom Molded and Extrusion • Test Caps

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: **info@jointscouplings.com**

# JOINTS

## COUPLINGS

**(877) 244-3410**



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

Made in USA 

**JTS04 SERIES - CONCRETE TO CONCRETE**

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS04-44	4" to 4" Concrete	18.79	16
JTS04-44 CRC	4" to 4" Concrete	<i>d</i> 28.09	16
JTS04-66	6" to 6" Concrete	41.02	10
JTS04-66 CRC	6" to 6" Concrete	<i>d</i> 53.51	10
JTS04-86*	8" to 6" Concrete	<i>d</i> 69.04	8
JTS04-88	8" to 8" Concrete	63.87	10
JTS04-88 CRC	8" to 8" Concrete	<i>d</i> 79.44	8
JTS04-1008*	10" to 8" Concrete	<i>d</i> 100.89	2
JTS04-1008 CRC*	10" to 8" Concrete	<i>d</i> 154.32	2
JTS04-1010	10" to 10" Concrete	101.92	7
JTS04-1010 CRC	10" to 10" Concrete	<i>d</i> 103.34	6
JTS04-1210*	12" to 10" Concrete	<i>d</i> 126.19	4
JTS04-1210 CRC*	12" to 10" Concrete	<i>d</i> 214.14	4
JTS04-1212	12" to 12" Concrete	107.53	6
JTS04-1212 CRC	12" to 12" Concrete	<i>d</i> 126.50	6
JTS04-1515	15" to 15" Concrete	<i>d</i> 378.32	1
JTS04-1515 CRC	15" to 15" Concrete	<i>d</i> 426.41	1
JTS04-1818	18" to 18" Concrete	<i>d</i> 448.45	1
JTS04-1818 CRC	18" to 18" Concrete	<i>d</i> 506.52	1
JTS04-2121	21" to 21" Concrete	<i>d</i> 523.82	1
JTS04-2121 CRC	21" to 21" Concrete	<i>d</i> 638.94	1
JTS04-2424	24" to 24" Concrete	<i>d</i> 593.80	1
JTS04-2424 CRC	24" to 24" Concrete	<i>d</i> 702.46	1
JTS04-2727	27" to 27" Concrete	<i>d</i> 663.83	1
JTS04-2727CRC	27" to 27" Concrete	<i>d</i> 783.15	1

**JOINTS**  
COUPLINGS  
(877) 244-3410



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

**Larger diameter couplings available upon request.**

Nut and bolt or worm gear tightening devices available.

[Flexible Couplings](#) • [Specialty Shielded Transition Couplings](#) • [Calder Couplings](#) • [Bushings](#) • [TAP-N-TEE Saddles](#) • [Sewer and Drain Pipe Products](#) • [Custom Molded and Extrusion](#) • [Test Caps](#)

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

Made in USA 

10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: **info@jointscouplings.com**

**JTS06-SERIES - CONCRETE TO CAST IRON/PLASTIC**

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels


**(877) 244-3410**

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS06-43*	4" Concrete to 3" CI/PL	<i>d</i> 22.19	15
JTS06-44	4" Concrete to 4" CI/PL	18.79	15
JTS06-44 CRC	4" to Concrete to 4" CI/PL	<i>d</i> 41.10	10
JTS06-64	6" Concrete to 4" CI/PL	43.69	10
JTS06-64 CRC	6" Concrete to 4" CI/PL	<i>d</i> 120.30	8
JTS06-66	6" Concrete to 6" CI/PL	41.17	10
JTS06-66 CRC	6" Concrete to 6" CI/PL	<i>d</i> 81.63	8
JTS06-86*	8" Concrete to 6" CI/PL	<i>d</i> 75.97	6
JTS06-86 CRC*	8" Concrete to 6" CI/PL	<i>d</i> 133.40	6
JTS06-88	8" Concrete to 8" CI/PL	61.81	8
JTS06-88 CRC	8" Concrete to 8" CI/PL	<i>d</i> 103.77	6
JTS06-1008*	10" Concrete to 8" CI/PL	<i>d</i> 100.89	4
JTS06-1010*	10" Concrete to 10" CI/PL	85.94	6
JTS06-1010 CRC*	12" Concrete to 10" CI/PL	<i>d</i> 127.34	4
JTS06-1210*	12" Concrete to 10" CI/PL	<i>d</i> 126.19	2
JTS06-1212	12" Concrete to 12" CI/PL	100.29	6
JTS06-1212 CRC*	12" Concrete to 12" CI/PL	<i>d</i> 178.58	1
JTS06-1515*	15" Concrete to 15" CI/PL	<i>d</i> 382.13	4
JTS06-1515 CRC*	15" Concrete to 15" CI/PL	<i>d</i> 487.12	1
JTS06-1818*	18" Concrete to 18" CI/PL	<i>d</i> 452.98	1
JTS06-1818 CRC*	18" Concrete to 18" CI/PL	<i>d</i> 635.05	1
JTS06-2121*	21" Concrete to 21" CI/PL	<i>d</i> 523.82	1
JTS06-2121 CRC*	21" Concrete to 21" CI/PL	<i>d</i> 757.61	1
JTS06-2424*	24" Concrete to 24" CI/PL	<i>d</i> 593.80	1
JTS06-2424 CRC*	24" Concrete to 24" CI/PL	<i>d</i> 668.93	1
JTS06-2727*	27" Concrete to 27" CI/PL	<i>d</i> 633.03	1
JTS06-2727CRC*	27" Concrete to 27" CI/PL	<i>d</i> 926.19	1



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

**Larger diameter couplings available upon request.**

LEGEND: CI = Cast Iron, PL = Plastic

Nut and bolt or worm gear tightening devices available.

[Flexible Couplings](#) • [Specialty Shielded Transition Couplings](#) • [Calder Couplings](#) • [Bushings](#) • [TAP-N-TEE Saddles](#) • [Sewer and Drain Pipe Products](#) • [Custom Molded and Extrusion](#) • [Test Caps](#)

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

Made in USA



10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: [info@jointscouplings.com](mailto:info@jointscouplings.com)

# JTS51 SERIES - ASBESTOS CEMENT/DUCTILE IRON TO CAST IRON/PLASTIC

CRC Calder Repair Couplings with stainless steel outside shear band

\* - notes transition couplings that are made with a flanged bushing

*d* - notes products with different discount levels

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS51-43*	4" AC/DI to 3" CI/PL	<i>d</i> 22.19	14
JTS51-43* CRC	4" AC/DI to 3" CI/PL	<i>d</i> 60.27	9
JTS51- 44	4" AC/DI to 4" CI/PL	18.79	20
JTS51- 44 CRC*	4" AC/DI to 4" CI/PL	<i>d</i> 41.10	18
JTS51-54 TYPEO*	5" AC/DI to 4" CI/PL Oversize	<i>d</i> 35.14	24
JTS51-55*	5" AC/DI to 5" CI/PL	<i>d</i> 31.57	18
JTS51-55 CRC	5" AC/DI to 5" CI/PL	134.80	9
JTS51- 56	5" AC/DI to 6" CI/PL	59.48	6
JTS51- 64*	6" AC/DI to 4" CI/PL	43.69	8
JTS51- 65*	6" AC/DI to 5" CI/PL	<i>d</i> 49.57	12
JTS51- 66	6" AC/DI to 6" CI/PL	40.16	12
JTS51-66 CRC	6" AC/DI to 6" CI/PL	<i>d</i> 78.63	9
JTS51-86*	8" AC/DI to 6" CI/PL	<i>d</i> 75.96	8
JTS51- 86 CRC*	8" AC/DI to 6" CI/PL	<i>d</i> 95.14	6
JTS51- 88	8" AC/DI to 8" CI/PL	61.81	8
JTS51-88 CRC	8" AC/DI to 8" CI/PL	<i>d</i> 79.44	8
JTS51-1008*	10" AC/DI to 8" CI/PL	<i>d</i> 100.89	2
JTS51-1008 CRC*	10" AC/DI to 8" CI/PL	<i>d</i> 154.14	2
JTS51-1010	10" AC/DI to 10" CI/PL	85.94	5
JTS51-1010 CRC*	10" AC/DI to 10" CI/PL	<i>d</i> 126.18	4
JTS51-1210*	12" AC/DI to 10" CI/PL	<i>d</i> 125.68	4
JTS51-1210 CRC*	12" AC/DI to 10" CI/PL	<i>d</i> 190.10	4
JTS51-1212	12" AC/DI to 12" CI/PL	100.29	5
JTS51-1212 CRC*	12" AC/DI to 12" CI/PL	<i>d</i> 158.03	4
JTS51-1615*	16" AC/DI to 15" CI/PL	<i>d</i> 171.98	1
JTS51-1615 CRC*	16" AC/DI to 15" CI/PL	<i>d</i> 303.20	1
JTS51-1818*	18" AC/DI to 18" CI/PL	<i>d</i> 357.77	1
51-1818 CRC*	18" AC/DI to 18" CI/PL	<i>d</i> 450.25	1

## Larger diameter couplings available upon request.

LEGEND: AC = Asbestos Cement, DI = Ductile Iron, CI = Cast Iron, PL = Plastic  
Nut and bolt or worm gear tightening devices available

[Flexible Couplings](#) • [Specialty Shielded Transition Couplings](#) • [Calder Couplings](#) • [Bushings](#) • [TAP-N-TEE Saddles](#) • [Sewer and Drain Pipe Products](#) • [Custom Molded and Extrusion](#) • [Test Caps](#)

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

**JOINTS**  
COUPLINGS  
(877) 244-3410



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

Made in USA 

10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: **info@jointscouplings.com**

# JTS55 SERIES - ASBESTOS CEMENT/DUCTILE IRON TO ASBESTOS CEMENT /DUCTILE IRON

CRC Calder Repair Couplings with stainless steel outside shear band  
\* - notes transition couplings that are made with a flanged bushing  
*d* - notes products with different discount levels

**JOINTS**  
COUPLINGS  
(877) 244-3410

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS55-44	4" AC/DI to 4" AC/DI	18.79	18
JTS55-44 CRC	4" AC/DI to 4" AC/DI	<i>d</i> 28.09	18
JTS55-54*	5" AC/DI to 4" AC/DI	<i>d</i> 35.14	10
JTS55-55	5" AC/DI to 5" AC/DI	31.57	12
JTS55-64	6" AC/DI to 4" AC/DI	45.87	12
JTS55-65*	6" AC/DI to 5" AC/DI	<i>d</i> 49.59	6
JTS55-66	6" AC/DI to 6" AC/DI	42.18	10
JTS55-66 CRC	6" AC/DI to 6" AC/DI	<i>d</i> 53.51	10
JTS55-86*	8" AC/DI to 6" AC/DI	<i>d</i> 75.97	6
JTS55-88	8" AC/DI to 8" AC/DI	64.91	10
JTS55-88 CRC	8" AC/DI to 8" AC/DI	<i>d</i> 79.44	8
JTS55 -1008*	10" AC/DI to 8" AC/DI	<i>d</i> 100.89	5
JTS55-1008CRC*	10" AC/DI to 8" AC/DI	<i>d</i> 150.89	5
JTS55 -1010	10" AC/DI to 10" AC/DI	88.04	5
JTS55 -1010CRC	10" AC/DI to 10" AC/DI	<i>d</i> 103.34	5
JTS55 -1210*	12" AC/DI to 10" AC/DI	<i>d</i> 126.25	2
JTS55-1210 CRC*	12" AC/DI to 10" AC/DI	<i>d</i> 213.50	2
JTS55-1212	12" AC/DI to 12" AC/DI	<i>d</i> 105.28	5
JTS55-1212 CRC	12" AC/DI to 12" AC/DI	<i>d</i> 126.50	5
JTS55 -1616	16" AC/DI to 16" AC/DI	<i>d</i> 366.93	2
JTS55-1616 CRC	16" AC/DI to 16" AC/DI	<i>d</i> 452.01	2
JTS55-1818	18" AC/DI to 18" AC/DI	<i>d</i> 453.80	1
JTS55-1818 CRC	18" AC/DI to 18" AC/DI	<i>d</i> 513.78	1

**Larger diameter couplings available upon request.**

LEGEND: AC = Asbestos Cement

Nut and bolt or worm gear tightening devices available

Flexible Couplings • Specialty Shielded Transition Couplings •  
Calder Couplings • Bushings • TAP-N-TEE Saddles • Sewer and  
Drain Pipe Products • Custom Molded and Extrusion • Test Caps



Calder Slip Coupling



Calder Repair Coupling



Transition Coupling

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted <i>d</i>	
CRC Couplings above 15" noted <i>d</i>	

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

Made in USA 

10699 Hickson Street, Suite 20 • El Monte, California 91731 USA

Office: **626.448.2100** | Fax: **626.448.2140** | Email: **info@jointscouplings.com**



## JTS56 SERIES - CAST IRON/PLASTIC TO CAST IRON/PLASTIC

CRC - Calder repair coupling with stainless steel outside shear band  
 \* - notes transition couplings that are made with a flanged bushing  
 d - notes products with different discount level

All couplings meet or exceed ASTM, 425, 564, 1173, 923, and UPC standards.

**JOINTS**  
**COUPLINGS**  
**(877) 244-3410**

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS56-125	11/2" Tubing, Copper or 11/4" PL to Same	8.95	24
JTS56-15/125	11/2" CI/PL to 11/2" Tubing, Copper or 11/4" PL	9.92	24
JTS56-22/125	2" CI/PL to 11/2" Tubing, Copper or 11/4" PL	d 10.07	24
JTS56-15	11/2" to 11/2" CI/PL	9.57	24
JTS56-15CRC	11/2" to 11/2" CI/PL	d 16.53	24
JTS56-215	2" to 11/2" CI/PL	10.86	24
JTS56-22	2" to 2" CI/PL	10.28	24
JTS56-22 CRC	2" to 2" CI/PL	d 16.98	24
JTS56-315	3" to 1 1/2" CI/PL	d 18.12	24
JTS56-32	3" to 2" CI/PL	12.85	24
JTS56-33	3" to 3" CI/PL	13.90	18
JTS56-33 CRC	3" to 3" CI/PL	d 22.08	18
JTS56-415	4" to 1 1/2" CI/PL	d 26.42	18
JTS56-42	4" to 2" CI/PL	24.26	18
JTS56-43	4" to 3" CI/PL	18.74	18
JTS56-43 CRC	4" to 3" CI/PL	d 40.03	18
JTS56-43 Offset	4" to 3" Eccentric	d 45.76	
JTS56-44	4" to 4" CI/PL	17.40	24
JTS56-44 CRC	4" to 4" CI/PL	d 28.07	24
JTS56-53*	5" to 3" CI/PL	d 38.69	10
JTS56-54	5" to 4" CI/PL	32.73	12
JTS56-54 CRC	5" to 4" CI/PL	d 40.48	6
JTS56-55	5" to 5" CI/PL	29.45	14
JTS56-55 CRC	5" to 5" CI/PL	d 40.03	14
JTS56-63*	6" to 3" CI/PL	d 59.01	10
JTS56-64	6" to 4" CI/PL	43.69	10
JTS56-64 CRC	6" to 4" CI/PL	d 69.21	4
JTS56-65 Type O	6" Oversize to 5"	46.25	12
JTS56-65 CRC	6" Oversize to 5"	d 77.82	9
JTS56-66	6" to 6" CI/PL	37.22	12
JTS56-66 CRC	6" to 6" CI/PL	d 53.22	9

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS56-84	8" to 4" CI/PL	d 94.59	10
JTS56-85 Type O	8" Oversize to 5"	d 90.60	10
JTS56-86	8" to 6" CI/PL	69.12	4
JTS56-86 CRC	8" to 6" CI/PL	d 121.70	5
JTS56-88	8" to 8" CI/PL	57.24	10
JTS56-88CRC	8" to 8" CI/PL	d 79.44	10
JTS56-1006 Type O	10" to 6" Oversize	d 126.00	6
JTS56-1008*	10" to 8" CI/PL	94.12	6
JTS56-1008 CRC	10" to 8" CI/PL	d 171.81	4
JTS56-1010	10" to 10" CI/PL	85.94	8
JTS56-1010 CRC	10" to 10" CI/PL	d 103.34	8
JTS56-1210*	12" to 10" CI/PL	111.08	6
JTS56-1210 CRC	12" to 10" CI/PL	d 187.64	4
JTS56-1212	12" to 12" CI/PL	100.29	6
JTS56-1212 CRC	12" to 12" CI/PL	d 126.50	6
JTS56-1512*	15" to 12" CI/PL	d 233.77	1
JTS56 -1512 CRC	15" to 12" CI/PL	360.43	1
JTS56-1515	15" to 15" SDR 35 (15.3" O.D.)	d 1165.14	8
JTS56-1515 CRC	15" SDR 35 (15.3" O.D.)	d 216.16	4
JTS56-1616	15" to 15" CI/SCH40 (16.0" O.D.)	d 399.36	2
JTS56-1616 CRC	15" CI/SCD40 (16" O.D.)	d 576.59	2
JTS56-1815*	18" to 15" CI/PL	d 382.81	1
JTS56-1815 CRC	18" to 15" CI/PL	d 548.27	1
JTS56-1818	18" to 18" CI/PL	d 356.39	2
JTS56-1818 CRC	18" to 18" CI/PL	d 443.24	2
JTS56-2121	21" to 21" CI/PL	d 419.10	1
JTS56-2121 CRC	21" to 21" CI/PL	d 520.80	1
JTS56-2424	24" to 24" CI/PL	d 467.09	1
JTS56-2424 CRC	24" to 24" CI/PL	d 566.15	1
JTS56-2727	27" to 27" CI/PL	d 558.87	1
JTS56-2727 CRC	27" to 27" CI/PL	d 693.14	1

### Larger diameter couplings available upon request.

LEGEND: CI = Cast Iron, PL = Plastic, DI = Ductile Iron to the legend  
 Nut and bolt or worm gear tightening devices available

Flexible Couplings • Specialty Shielded Transition Couplings • Calder Couplings • Bushings • TAP - N - TEE Saddles • Sewer and Drain Pipe Products • Custom Molded and Extrusion • Test Caps

PRODUCT	MULTIPLIER
Couplings under 15"	
Couplings above 15"	
CRC Couplings under 15" noted d	
CRC Couplings above 15" noted d	



## SPECIALTY SHIELDED TRANSITION COUPLINGS

LEGEND: CI = Cast Iron, PL = Plastic

**JTS - CK SERIES** - Connecting Cast Iron, Plastic or Steel to Copper

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-CK-1125	1½" CI/PL to 1¼" Copper	11.11	24
JTS-CK-115	1½" CI/PL to 1½" Copper	9.58	24
JTS-CK-215	2" CI/PL to 1½" Copper	9.58	24
JTS-CK-22	2" CI/PL to 2" Copper	12.59	24
JTS-CK-315	3" CI/PL to 1¼"/1½" Copper	18.56	24
JTS-CK-32	3" CI/PL to 2" Copper	14.24	24
JTS-CK-33	3" CI/PL to 3" Copper	13.52	24
JTS-CK-43	4" CI/PL to 3" Copper	14.47	24
JTS-CK-44	4" CI/PL to 4" Copper	14.24	24



Meets ASTM C1460 & CSA B602 • All 300 Stainless Steel Band & Clamp  
 • Neoprene ASTM C564 Gasket Material • Clamp Joined to Shield with Rivets, Not Bolts

Made in USA 

## SPECIALTY SHIELDED TRANSITION COUPLINGS

LEGEND: CI = No Hub Cast Iron, PL = Schedule 40 Plastic

### JTS-CP SERIES - Cast Iron to Plastic, Steel, or Extra Heavy Cast Iron

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-CP-150	1 1/2" CI/PL to 1 1/2" CI/PL	6.84	24
JTS-CP-200	2" CI/PL to 2" CI/PL	6.83	24
JTS-CP-215	2" CI/PL to 1 1/2" CI/PL	9.17	24
JTS-CP-33	3" CI/PL to 3" CI/PL	10.50	24
JTS-CP-43	4" CI/PL to 3" CI/PL	15.26	24
JTS-CP-44	4" CI/PL to 4" CI/PL	11.40	24
JTS-CP-66	6" CI/PL to 6" CI/PL	32.84	20
JTS-CP-88	8" CL/PL to 8" CI/PL	44.70	10



### JTS-C SERIES - Cast Iron to Cast Iron, Plastic or Steel

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-C-320	3" CI to 2" CI/PL /ST	10.80	24
JTS-C-420	4" CI to 2" CI/PL /ST	13.15	24
JTS-C-430	4" CI to 3" CI/PL /ST	12.81	24
JTS-C-540	5" CI to 4" CI/PL /ST	27.77	20



Meets ASTM C1460 & CSA B602 • All 300 Stainless Steel Band & Clamp  
 • Neoprene ASTM C564 Gasket Material • Clamp Joined to Shield with Rivets, Not Bolts

Made in USA 

**SPECIALTY SHIELDED TRANSITION COUPLINGS**

LEGEND: CI = Cast Iron, PL = Plastic,  
ST = Stainless Steel, TWP = Thinwall Plastic

**JTS-P SERIES** - Plastic, Steel, Extra Heavy Cast Iron  
to Plastic, Steel, Extra Heavy Cast Iron

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-P-300	3" PL/ST to 3" PL/ST	10.97	24
JTS-P-430	4" PL/ST to 3" PL/ST		24
JTS-P-400	4" PL/ST to 4" PL/ST	12.83	24
JTS-P-450	4" PL/ST to 3" PL/ST	13.92	20
JTS-P-600	6" PL/ST to 6" PL/ST	32.84	10

**JTS-TWP SERIES** - Thinwall Plastic to Schedule 40 Plastic

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-TWC-33	3" TWP to 3" CI/SCH 40 PL	12.90	24
JTS-TWC-44	4" TWP to 4" CI/SCH 40 PL	11.70	24

**JTS - PC & PK SERIES**

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-PC- 32	3" PL/ST to 2" CI/PL/ST	14.11	24β
JTS-PK-32	3" PL/ST to 2" Copper	15.07	24
JTS-PK-33	3" PL/ST to 3" Copper	12.07	24
JTS-PK-43	4" PL/ST to 3" Copper	12.24	24
JTS-PK-44	4" PL/ST to 4" Copper	15.80	24

Meets ASTM C1460 & CSA B602 • All 300 Stainless Steel Band & Clamp  
• Neoprene ASTM C564 Gasket Material • Clamp Joined to Shield with Rivets, Not Bolts

**JOINTS**  
**COUPLINGS**  
**(877) 244-3410**



Made in USA 



## SPECIALTY SHIELDED TRANSITION COUPLINGS

### JTS-K SERIES - Copper to Copper

PART NO.	DESCRIPTION	LIST PRICE	CASE QTY.
JTS-K-1125	1½" Copper to 1¼" Copper	11.32	24
JTS-K-150	11½" Copper to 11½" Copper	9.40	24
JTS-K-200	2" Copper to 2" Copper	.88	24
JTS-K-2125	2" Copper to 1¼" Copper	12.44	24
JTS-K-215	2" Copper to 11½" Copper	10.06	24
JTS-K-250	21½" Copper to 21½" Copper	11.32	24
JTS-K-300	3" Copper to 3" Copper	11.48	24
JTS-K-320	3" Copper to 2" Copper	11.73	24
JTS-K-400	4" Copper to 4" Copper	11.73	24
JTS-K-430	3" Copper to 3" Copper	11.93	24



- Meets ASTM C1460 & CSA B602 • All 300 Stainless Steel Band & Clamp  
 • Neoprene ASTM C564 Gasket Material • Clamp Joined to Shield with Rivets, Not Bolts

Made in USA 